


SJB Cloud Storage Connector:

Dropbox Connection:

1. <https://www.dropbox.com/lp/developers>
2. Click "Create Apps"

A screenshot of the Dropbox DBX Platform landing page. The page has a light blue background. At the top left, it says "DBX Platform". Below that, in a larger, bold, dark red font, is the headline "Develop apps for 500 million Dropbox users". Underneath the headline, there is a paragraph of text: "Integrate your apps with the content and collaboration solution trusted by more than 500 million users and 300,000 teams. Whether you're building your business or optimizing internal workflows, the DBX Platform lets you add Dropbox features to your apps, such as file storage, sharing, previews, and search." Below this text is a white button with a red border and the text "Create apps". At the bottom of the page, it says "Or click [here](#) to view documentation".

3. Sign In/Sign Up if required.
4. Set scoped access, grant full dropbox access to your app, type name of App and click Create App.

1. Choose an API

Scoped access New
Select the level of access your app needs to Dropbox data. [Learn more](#)



2. Choose the type of access you need

[Learn more about access types](#)

App folder – Access to a single folder created specifically for your app.

Full Dropbox – Access to all files and folders in a user's Dropbox.

3. Name your app

Enter name of app here.

Quickstart111

[Create app](#)

5. Copy Redirect URI from Add on settings page.

Cloud Storage Connector 2 0 + New Howdy, admin

Media
Pages
Comments
Job Board
All Jobs
Add New
Job Categories
Job Types
Job Locations
Applicants
List of Employers
Settings
Wizard
Add-ons
Appearance
Plugins
Users
Tools
Settings
Collapse menu

Upload File Extensions Privacy Frontend Job Posting Cloud Storage Connector

Dropbox: | Google Drive:

Dropbox Connection:

Enable Dropbox Connection:

App Key:

Redirect URI:

Generated Access Token: [Generate Token:](#)

Access token:

Default Folder Structure:

Custom Folder Structure:

[Save Changes](#)

6. Paste Redirect URI here and click Add.

Give your users important information about your Dropbox app. Should comply with the Dropbox developer branding guide. [Get started](#)

Status	Development	Apply for production
Development teams	0 / 1	Enable additional teams Unlink all teams
Development users	Only you	Enable additional users
Permission type	Scoped App ?	
App key	<input type="text"/>	
App secret	Show	
OAuth 2	Redirect URIs	
	<input type="text" value="http://localhost/cloud-storage-connector"/>	Add
	Allow public clients (Implicit Grant & PKCE) ?	
	<input type="button" value="Allow"/>	

7. Generate Token and Set Access Token Expiration to “No Expiration”.

	Generated access token ?	
	<input type="button" value="Generate"/>	
	Access token expiration ?	
	<input type="button" value="No expiration"/>	
Chooser / Saver / Embedder domains	<input type="text" value="example.com"/>	Add
	If using the Chooser , the Saver , or the Embedder on a website, add the domain of that site.	
Webhooks	Webhook URIs ?	
	<input type="text" value="https://"/>	Add
Extensions	Extensions URI ?	
	URI	Purpose
		File Types
		Max File Size
		Visibility

8. Go to the Permissions tab and grant app all these permissions then click submit.

Dropbox Documentation Guides Community & support App console

Settings **Permissions** Branding Analytics

Individual Scopes Individual scopes include the ability to view and manage a user's files and folders. [View Documentation](#)

Account Info
Permissions that allow your app to view and manage Dropbox account info

- account_info.write View and edit basic information about your Dropbox account such as your profile photo
- account_info.read View basic information about your Dropbox account such as your username, email, and country

Files and folders
Permissions that allow your app to view and manage files and folders

- files.metadata.write View and edit information about your Dropbox files and folders
- files.metadata.read View information about your Dropbox files and folders
- files.content.write Edit content of your Dropbox files and folders
- files.content.read View content of your Dropbox files and folders

Click Submit when you are done making changes Undo Submit

9. Copy App key and Access Token from here.

Permission type **Scoped App** ⓘ

App key
App secret [Show](#)

OAuth 2

Redirect URIs

Allow public clients (Implicit Grant & PKCE) ⓘ

Generated access token ⓘ

This access token can be used to access your account (presstigers3@gmail.com) via the API. Don't share your access token with anyone.

Access token expiration ⓘ

Chooser / Saver / Embedder domains
If using the [Chooser](#), the [Saver](#), or the [Embedder](#) on a website, add the domain of that site.

← 1. Copy App Key

2. Copy Generated Access Token



10. Paste App key and Generated Access Token here in Settings Tab and click save changes.

Cloud Storage Connector 2 0 + New Howdy, admin

Comments

Job Board

- All Jobs
- Add New
- Job Categories
- Job Types
- Job Locations
- Applicants
- List of Employers

Settings

- Wizard
- Add-ons
- Appearance
- Plugins
- Users
- Tools
- Settings
- Collapse menu

Dropbox: | Google Drive:

Dropbox Connection:

Enable Dropbox Connection:

App Key:

Redirect URI:

Generated Access Token: [Generate Token:](#)

Access token:

Default Folder Structure:

Custom Folder Structure:

[Save Changes](#)

Powered by PresTigers

Version 5.6.1

11. Click Generate Token.

Cloud Storage Connector 2 0 + New Howdy, admin

Comments

Job Board

- All Jobs
- Add New
- Job Categories
- Job Types
- Job Locations
- Applicants
- List of Employers

Settings

- Wizard
- Add-ons
- Appearance
- Plugins
- Users
- Tools
- Settings
- Collapse menu

Dropbox: | Google Drive:

Dropbox Connection:

Enable Dropbox Connection:

App Key:

Redirect URI:

Generated Access Token: **Generate Token:**

Access token:

Default Folder Structure:

Custom Folder Structure:

Save Changes

Powered by: PressTigers

Version 5.6.1

17. Click Continue.

Press Tigers

Before you connect this app...

Make sure that you know and trust this developer. Allowing apps from developers you don't know may put your data at risk.

Why am I seeing this warning?

This app only has a small number of users and may not be the app you were intending to link.

Click Continue

Click Cancel if you are unsure whether you should be connecting an app to your Dropbox account. You can also learn more about [what to look for when connecting an app.](#)

18. Click Allow.



QuickStart12 would like to:

- **Edit** content of your Dropbox files and folders, **view** content of your Dropbox files and folders, and **view and edit** information about your Dropbox files and folders
- **View** basic information about your Dropbox account such as your username, email, and country

[Learn about permissions](#)

You can disconnect apps anytime in [connected apps](#) within your account settings.

Cancel **Allow**

Click Allow

19. Go to Cloud Storage Connector Tab. This is the Access Token for uploading files to Dropbox.

Cloud Storage Connector | 2 | 0 | + New | Howdy, admin

General Appearance Job Features Application Form Fields Filters Email Notifications Upload File Extensions Privacy Frontend Job Posting **Cloud Storage Connector**

Dropbox: | **Google Drive:**

Dropbox Connection:

Enable Dropbox Connection:

App Key:

Redirect URI:

Generated Access Token: [Generate Token](#)

Access token:

Default Folder Structure:

Custom Folder Structure:

[Save Changes](#)

Powered by [PressTigers](#) | Version 5.6.1

Google Drive Connection:

1. Go to console.cloud.google.com.
2. Sign In/Sign Up with your google account.
3. Create A New Project.

Google Cloud Platform

Search products and resources

Manage resources **CREATE PROJECT** CREATE FOLDER MOVE DELETE HIDE INFO PANEL

Filter

Name	ID	Last accessed ↓	Charges ?
No results to display			

RESOURCES PENDING DELETION

No resource selected

PERMISSIONS LABELS ACTIVITY

Please select at least one resource.

4. Click New Project.

Google Cloud Platform

Search products and resources

New Project

You have 11 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[MANAGE QUOTAS](#)

Project name *
My Project 37725

Project ID: cool-phalanx-303911. It cannot be changed later. [EDIT](#)

Location *
No organisation [BROWSE](#)

Parent organisation or folder

CREATE CANCEL

5. Enter Project Name and Click Create.

Google Cloud Platform Search products and resources

New Project

You have 11 projects remaining in your quota. Request an increase or delete projects. [Learn more](#)

[MANAGE QUOTAS](#)

Project name *
My Project 37725

Project ID: cool-phalanx-303911. It cannot be changed later. [EDIT](#)

Location *
No organisation [BROWSE](#)

Parent organisation or folder

[CREATE](#) [CANCEL](#)

6. Select the newly created project.

Google Cloud Platform Search products and resources

Manage resources

[+ CREATE PROJECT](#) [+ CREATE FOLDER](#)

Filter


Name	ID	Last accessed	Charges
No results to display			

[RESOURCES PENDING DELETION](#)


Notifications

- ✓ Create Project: My Project 37725 in 1 minute
[SELECT PROJECT](#)
- ✓ Create Project: My Project 69495 4 days ago
[SELECT PROJECT](#)

7. Click the Hamburger Menu Icon from APIs & Services click Dashboard. Then click Library.



8. Scroll Down or type Google Drive in the search bar and select Google Drive API.



9. Click Enable to enable Google Drive API.



Google Drive API

Google

The Google Drive API allows clients to access resources from Google Drive

ENABLE TRY THIS API

OVERVIEW

DOCUMENTATION

Overview

The Google Drive API allows clients to access resources from Google Drive.

About Google

Google's mission is to organize the world's information and make it universally accessible and useful. Through products and platforms like

Additional details

Type: [APIs & services](#)

Last updated: 10/12/2019

Category: [Storage](#), [Google Workspace](#)

10. Click OAuth Consent Screen, Select External and click Create.

API APIs & Services

OAuth consent screen

- Dashboard
- Library
- Credentials
- OAuth consent screen**
- Domain verification
- Page usage agreements

Choose how you want to configure and register your app, including your target users. You can only associate one app with your project.

User Type

Internal

Only available to users within your organisation. You will not need to submit your app for verification.


External

Available to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to [verify your app](#).

CREATE

[Let us know what you think](#) about our OAuth experience

11. Enter App name and User support Email.



Google Cloud Platform My Project 37725 Search products and resources

API APIs & Services Edit app registration

1 OAuth consent screen — 2 Scopes — 3 Test users — 4 Summary

App information

This shows in the consent screen, and helps end users know who you are and contact you

App name *
Quickstart
The name of the app asking for consent

User support email *
prestigers
For users to contact you with questions about their consent

App logo [BROWSE](#)
Upload an image, not larger than 1 MB on the consent screen that will help users recognise your app. Allowed image formats are JPG, PNG and BMP. Logos should be square and 120px by 120px for the best results.

App domain

To protect you and your users, Google only allows apps using OAuth to use Authorised Domains. The following information will be shown to your users on the consent screen.

12. Enter Developer's contact information and click Save and Continue.

Google Cloud Platform My Project 37725 Search products and resources

APIs & Services

- Dashboard
- Library
- Credentials
- OAuth consent screen**
- Domain verification
- Page usage agreements

Edit app registration

Application home page
Provide users a link to your home page

Application privacy policy link
Provide users a link to your public privacy policy

Application Terms of Service link
Provide users a link to your public Terms of Service

Authorised domains ⓘ

When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-registered here. If your app needs to go through verification, please go to the [Google Search Console](#) to check if your domains are authorised. [Learn more](#) about the authorised domain limit.

[+ ADD DOMAIN](#)

Developer contact information

Email addresses *
presstigers3@gmail.com ✕

These email addresses are for Google to notify you about any changes to your project.

[SAVE AND CONTINUE](#) CANCEL

13. Click Save and Continue.

Google Cloud Platform My Project 37725 Search products and resources

APIs & Services

- Dashboard
- Library
- Credentials
- OAuth consent screen**
- Domain verification
- Page usage agreements

Edit app registration

Your non-sensitive scopes

API ↑	Scope	User-facing description
No rows to display		

Your sensitive scopes ⓘ

Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
No rows to display		

Your restricted scopes ⓘ

Restricted scopes are scopes that request access to highly sensitive user data.

API ↑	Scope	User-facing description
No rows to display		

[SAVE AND CONTINUE](#) CANCEL

14. Click Save and Continue.

Google Cloud Platform My Project 37725 Search products and resources

API APIs & Services Edit app registration

Dashboard
Library
Credentials
OAuth consent screen
Domain verification
Page usage agreements

Your non-sensitive scopes

API ↑	Scope	User-facing description
No rows to display		

Your sensitive scopes

Sensitive scopes are scopes that request access to private user data.

API ↑	Scope	User-facing description
No rows to display		

Your restricted scopes

Restricted scopes are scopes that request access to highly sensitive user data.

API ↑	Scope	User-facing description
No rows to display		

SAVE AND CONTINUE CANCEL

15. Click Save and Continue.

Google Cloud Platform My Project 37725 Search products and resources

API APIs & Services Edit app registration

Dashboard
Library
Credentials
OAuth consent screen
Domain verification
Page usage agreements

OAuth consent screen — Scopes — 3 Test users — 4 Summary

Test users

While publishing status is set to 'Testing,' only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

+ ADD USERS

0 users (0 test, 0 other) / 100 user cap

Filter table

⚠ In order to limit abuse, users can be added, but not removed

User information
No rows to display

SAVE AND CONTINUE CANCEL

16. Click Back to Dashboard.

Google Cloud Platform My Project 37725 Search products and resources

API APIs & Services

- Dashboard
- Library
- Credentials
- OAuth consent screen**
- Domain verification
- Page usage agreements

Edit app registration

Authorised domains
Not provided

Contact email addresses
prestigers3@gmail.com

Scopes EDIT

API ↑	Scope	User-facing description
No rows to display		

Test users EDIT

0 users (0 test, 0 other) / 100 user cap ⓘ

Filter table ⓘ

User information
No rows to display

[BACK TO DASHBOARD](#)

17. Click Publish App.

Google Cloud Platform My Project 37725 Search products and resources

API APIs & Services OAuth consent screen

- Dashboard
- Library
- Credentials
- OAuth consent screen**
- Domain verification
- Page usage agreements

Quickstart [EDIT APP](#)

Publishing status ⓘ

Testing

PUBLISH APP

User type

External ⓘ

MAKE INTERNAL


Test users

While publishing status is set to 'Testing,' only test users are able to access the app. Allowed user cap prior to app verification is 100, and is counted over the entire lifetime of the app. [Learn more](#)

[+ ADD USERS](#)

0 users (0 test, 0 other) / 100 user cap ⓘ

18. Click Confirm.



19. From Side Menu click Credentials and from Create Credentials Click OAuth Client ID.

Google Cloud Platform My Project 37725 Search products and resources

APIs & Services Credentials + CREATE CREDENTIALS DELETE

Create credentials to access your project

API keys

- API key: Identifies your project using a simple API key to check quota and access
- OAuth client ID**: Requests user consent so that your app can access the user's data.
- Service account: Enables server-to-server, app-level authentication using robot accounts

Help me choose: Asks a few questions to help you decide which type of credential to use

Name	Creation date	Type	Client ID
No OAuth clients to display			

Service Accounts [Manage service accounts](#)

Email	Name
No service accounts to display	

20. Select Application type as Web App and enter your website URL like this, e.g., <https://www.presstigers.com>

Google Cloud Platform My Project 37725 Search products and resour...

API APIs & Services < Create OAuth client ID

Dashboard
Library
Credentials
OAuth consent screen
Domain verification
Page usage agreements

A client ID is used to identify a single app to Google's OAuth servers. If your app runs on multiple platforms, each will need its own client ID. See [Setting up OAuth 2.0](#) for more information.

Application type *
Web application

[Learn more about OAuth client types](#)

Name *
Web client 1

The name of your OAuth 2.0 client. This name is only used to identify the client in the console and will not be shown to end users.

i The domains of the URIs you add below will be automatically added to your [OAuth consent screen](#) as [authorised domains](#).

Authorised JavaScript origins **?**

For use with requests from a browser

URIs
https://www.prestigers.com

+ ADD URI

21. Copy Redirect URI from plugin settings tab and paste here
e.g., https://www.prestigers.com/wp-admin/edit.php?post_type=jobpost&page=job-board-settings , then click create.

Google Cloud Platform My Project 37725 Search products and resour...

API APIs & Services < Create OAuth client ID

Dashboard
Library
Credentials
OAuth consent screen
Domain verification
Page usage agreements

Authorised JavaScript origins

For use with requests from a browser

URIs

[+ ADD URI](#)

Authorised redirect URIs

For use with requests from a web server

URIs

[+ ADD URI](#)

[CREATE](#) CANCEL

22. To download the configuration file click.

Google Cloud Platform My Project 37725 Search products and resources

API APIs & Services Credentials [+ CREATE CREDENTIALS](#) [DELETE](#)

Create credentials to access your enabled APIs. [Learn more](#)

API keys

<input type="checkbox"/>	Name	Creation date ↓	Restrictions	Key
No API keys to display				

OAuth 2.0 Client IDs

<input type="checkbox"/>	Name	Creation date ↓	Type	Client ID				
<input type="checkbox"/>	Web client 1	5 Feb 2021	Web application	37815839703-57bqu...				

Service Accounts [Manage service accounts](#)

<input type="checkbox"/>	Email	Name ↑
No service accounts to display		

23. Go to Plugin Settings tab “Cloud Storage Connector” in Simple Job Board Settings. Click Upload File and upload this downloaded file and click save changes.

The screenshot displays the 'Cloud Storage Connector' settings page. The left sidebar shows the 'Job Board' menu with 'Settings' selected. The main content area includes the following elements:

- Enable Google Drive Connection:
- Client ID:
- Project ID:
- Client Secret:
- Redirect URI:
- [Get Access Token:](#)
- Google Drive Configuration: [Upload File](#)
- Default Folder Structure:
- Custom Folder Structure:
- [Save Changes](#)

At the bottom, it says 'Powered by: [PressTigers](#)' and 'Version 5.6.1'.

24. This will populate the fields. Then click Generate Token.

Cloud Storage Connector | Howdy, admin

Upload File Extensions | Privacy | Frontend Job Posting | Cloud Storage Connector

Dropbox | Google Drive:

Google Drive Connection:

Enable Google Drive Connection:

Client ID:

Project ID:

Client Secret:

Redirect URI:

Get Access Token:

Google Drive Configuration:

Default Folder Structure:

Custom Folder Structure:

Version 5.6.1

25. Sign in with your Google Account.

26. Allow access.

Sign in with Google

Confirm your choices

You already gave Quickstart access to:

- See, edit, create, and delete all of your Google Drive files

Make sure you trust Quickstart

You may be sharing sensitive info with this site or app. Learn about how Quickstart will handle your data by reviewing its terms of service and privacy policies. You can always see or remove access in your [Google Account](#).

[Learn about the risks](#)

English (United States) | Help | Privacy | Terms

27. "Key_config.txt" will be generated in your plugins
sjb-cloud-storage-connector>admin>key_config.txt